Available online at www.sciencedirect.com

SCIENCE DIRECT®

Aquaculture 249 (2005) 551–553

Aquaculture

www.elsevier.com/locate/aqua-online

Contents of *Aquaculture*, Volume 249

VOL. 249 NOS. 1–4 **12 September 2005**

Letter to the Editor

E. Hadas (Israel) 1

Review Article

L-Carnitine and its attributed functions in fish culture and nutrition—a review

S. Harpaz (Bet Dagan, Israel) 3

Diseases

A histopathological survey of some commercially exploited bivalve molluscs in northern Patagonia, Argentina

F. Cremonte (Chubut, Argentina), A. Figueras (Vigo, Spain) and E.M. Burreson (Gloucester Point, Virginia, USA) 23

Mass cultivation of marine fish Chinook salmon embryo cells in bioreactor with low-serum medium

J. Chen, X. Sun, L. Zhang, X. Yi and Y. Zhang (Shanghai, China) 35

Cloning and characterization of prion protein coding genes of Japanese seabass (*Lateolabrax japonicus*) and Japanese flounder (*Paralichthys olivaceus*)

M. Liao, Z. Zhang, G. Yang, X. Sun (Qingdao, Republic of China), G. Zou, Q. Wei and D. Wang (Qingdao, Jingzhou, Republic of China) 47

Efficiency of *Chlorella* sp. and *Tilapia hornorum* in controlling the growth of luminous bacteria in a simulated shrimp culture environment

E.A. Tendencia, M.R. dela Peña and C.H. Choresca Jr. (Iloilo, Philippines) 55

Development and characterization of a continuous embryonic cell line from turbot (*Scophthalmus maximus*)

S.-L. Chen, G.-C. Ren, Z.-X. Sha (Qingdao, China) and Y. Hong (Kent Ridge Crescent, Singapore) 63

Improvement of PCR method for the detection of monodon baculovirus (MBV) in penaeid shrimp

W. Surachetpong, B.T. Poulos, K.F.J. Tang and D.V. Lightner (Tucson, AZ, USA) 69

Immune response of freshwater fish, guppy, *Poicelia reticulata* and gouramy, *Trichogaster trichopterus* to recombinant coat protein of *Epinephelus tauvina* nervous necrosis virus

A. Hegde (Proteos, Singapore), T.J. Lam (Kent Ridge Crescent, Singapore) and Y.M. Sin (Selatar West Farmway, Singapore) . . . 77

Parasite populations of the European eel (*Anguilla anguilla* L.) in the Rivers Ulla and Tea (Galicia, northwest Spain)

A. Aguilar, M.F. Álvarez, J.M. Leiro and M.L. Sanmartín (Santiago de Compostela, Spain) 85

Genetics

Marker-based estimation of heritability for body color variation in Japanese flounder *Paralichthys olivaceus*

T. Shikano (Windsor, Ontario, Canada) 95

Polymorphic EST–SSR markers and their mode of inheritance in *Fenneropenaeus chinensis*

H. Wang, F. Li and J. Xiang (Qingdao, China) 107

Heritability of cold tolerance in Nile tilapia, *Oreochromis niloticus*, juveniles

H. Charo-Karisa (Wageningen, The Netherlands; Abou Hammad, Egypt), M.A. Rezk (Abou Hammad, Egypt), H. Bovenhuis and H. Komen (Wageningen, The Netherlands) 115

Husbandry and Management

Optimised effluent treatment by stabilised trout faeces
A. Brinker (Langenargen, Konstanz, Germany), W. Koppe (Stavanger, Norway) and R. Rösch (Langenargen, Germany) 125
The influence of marine cages on the sediment chemistry in the Western Mediterranean Sea
S. Porrello, P. Tomassetti, L. Manzueto, M.G. Finoia, E. Persia, I. Mercatali (Roma, Italy) and P. Stipa (Ansedonia (GR), Italy) . . 145
Site-specific environmental quality criteria for survival and growth of farmed abalone exposed to zinc
C.-M. Liao and B. Yun-Hua Chou (Taiwan, Republic of China) 159
Muscle cellularity and flesh quality of wild and farmed sea bass, *Dicentrarchus labrax* L.
M[a].J. Periago, M[a].D. Ayala, O. López-Albors, I. Abdel, C. Martínez, A. García-Alcázar, G. Ros and F. Gil
(Pto.de Mazarrón, Spain) 175
Progressive reductions in the movement induced in food when rearing *Rana perezi* Seoane, 1885, in captivity
M. Real, I.P. Martínez and R. Álvarez (León, Spain) 189
Growth and whole body composition of lake trout (*Salvelinus namaycush*), brook trout (*Salvelinus fontinalis*) and their hybrid, F_1 splake (*Salvelinus namaycush* × *Salvelinus fontinalis*), from first–feeding to 16 weeks post first-feeding
S.J. Gunther, R.D. Moccia and D.P. Bureau (Guelph, Ontario, Canada) 195
Development of cryopreservation procedures for semen of Pacific bluefin tuna *Thunnus orientalis*
H.-H. Gwo, T.-S. Weng (Yunlin, Taiwan), L.-S. Fan and Y.-H. Lee (Pingtung, Taiwan) 205
Relative importance of family, site, and field placement timing on survival, growth, and yield of hatchery-produced Pacific oyster spat (*Crassostrea gigas*)
L. Dégremont (La Tremblade, France), E. Bédier (La Tremblade, La Trinité, France), P. Soletchnik (La Tremblade, France),
M. Ropert (Port en Bessin, France), A. Huvet, J. Moal, J.-F. Samain (Plouzané, France) and P. Boudry (La Tremblade, France) . . 213
Advances in rearing cobia *Rachycentron canadum* larvae in recirculating aquaculture systems: Live prey enrichment and greenwater culture
C.K. Faulk and G.J. Holt (Port Aransas, TX, United States) 231
Combined effects of temperature and body weight on growth and protein utilization of the common octopus, *Octopus vulgaris*
H. Miliou, M. Fintikaki, T. Kountouris and G. Verriopoulos (Athens, Greece) 245
Influence of temperature on larval development of Pacific brown shrimp *Farfantepenaeus californiensis*
H. Villarreal and A. Hernandez-Llamas (La Paz, B.C.S., México) 257
Effect of mussel density and size on the morphology of blue mussels (*Mytilus edulis*) grown in suspended culture in Prince Edward Island, Canada
J.-S. Lauzon-Guay, D.J. Hamilton and M.A. Barbeau (Fredericton, New Brunswick, Canada) 265
Effect of stocking density on survival and growth of critically endangered mahseer, *Tor putitora* (Hamilton), in nursery ponds
M.A. Rahman, M.A. Mazid, M.R. Rahman, M.N. Khan, M.A. Hossain and M.G. Hussain (Mymensingh, Bangladesh) 275
Bacteria attached to suspended particles in Northern White Shrimp (*Penaeus vannamei* L.) ponds
W. Yanbo, X. Zirong, Z. Xuxia and X. Meisheng (Zhejiang Province, China) 285
Performance of juvenile steelhead trout (*Oncorhynchus mykiss*) produced from untreated and cryopreserved milt
M.C. Hayes, S.P. Rubin, J.E. Hensleigh, R.R. Reisenbichler and L.A. Wetzel (Seattle, WA, United States) 291
Changes in some morphometric relationships in Atlantic bluefin tuna (*Thunnus thynnus thynnus* Linnaeus, 1758) as a result of fattening process
F. Aguado-Giménez and B. García-García (Murcia, Spain) 303
Utilization of flue gas from a power plant for tank cultivation of the red seaweed *Gracilaria cornea*
A. Israel, J. Gavrieli, A. Glazer and M. Friedlander (Haifa, Israel) 311
Spatial and temporal variation in larval settlement of reefbuilding corals in mariculture
D. Petersen (AM Rotterdam, The Netherlands; Essen, Germany), M. Laterveer (AM Rotterdam, The Netherlands)
and H. Schuhmacher (Essen, Germany) 317

Nutrition

Comparative utilization of rendered animal derived products with or without composite mixture of soybean meal in hybrid tilapia (*Oreochromis niloticus* × *Oreochromis mossambicus*) diets
E.A. Fasakin (Akure, Nigeria), R.D. Serwata and S.J. Davies (Plymouth, UK) 329
Development of an optimal microalgal diet for the culture of the calanoid copepod *Acartia sinjiensis*: Effect of algal species and feed concentration on copepod development
R.M. Knuckey, G.L. Semmens (Cairns, Queensland, Australia), R.J. Mayer (Townsville, Queensland, Australia) and M.A. Rimmer
(Cairns, Queensland, Australia) 339
The effect of graded concentrations of dietary DHA on growth, survival and tissue fatty acid profile of Senegal sole (*Solea senegalensis*) larvae during the *Artemia* feeding period
M. Villalta, A. Estévez (Tarragona, Spain), M.P. Bransden (Hobart, Tasmania, Australia) and J.G. Bell (Scotland, UK) 353

Dietary bovine lactoferrin enhances tolerance to high temperature stress in Japanese flounder *Paralichthys olivaceus*
S. Yokoyama, S. Koshio (Kagoshima, Japan), N. Takakura, K. Oshida (Kanagawa, Japan), M. Ishikawa, F.J. Gallardo-Cigarroa and S.-i. Teshima (Kagoshima, Japan) 367
Larval development and metamorphosis in the sea urchin *Loxechinus albus* (Echinodermata: Echinoidea): Effects of diet type and feeding frequency
P.F. Cárcamo, A.I. Candia (Puerto Montt, Chile) and O.R. Chaparro (Valdivia, Chile). 375
Effect of fish meal replacement by plant protein sources on non-specific defence mechanisms and oxidative stress in gilthead sea bream (*Sparus aurata*)
A. Sitjà-Bobadilla, S. Peña-Llopis, P. Gómez-Requeni (Castellón, Spain), F. Médale, S. Kaushik (St-.Pée-sur-Nivelle, France) and J. Pérez-Sánchez (Castellón, Spain) 387
Growth, feed utilization and body composition in two size groups of Atlantic halibut (*Hippoglossus hippoglossus*) fed diets differing in protein and carbohydrate content
B. Hatlen, B. Grisdale-Helland and S.J. Helland (Sunndalsøra, Norway). 401
Dietary L-methionine requirement of juvenile grouper *Epinephelus coioides* at a constant dietary cystine level
Z. Luo, Y.-j. Liu (Guangzhou, PR China), K.-s. Mai (Qingdao, PR China), L.-x. Tian, H.-j. Yang, X.-y. Tan and D.-h. Liu (Guangzhou, Republic of China). 409
Quantitative dietary lysine requirement of juvenile grass carp *Ctenopharyngodon idella*
S. Wang, Y.-J. Liu, L.-X. Tian, M.-Q. Xie, H.-J. Yang, Y. Wang and G.-Y. Liang (Guangzhou, PR China). 419
Survival, growth and feeding efficiency of *Litopenaeus vannamei* protozoea larvae fed different rations of the diatom *Chaetoceros muelleri*
P. Piña, M. Nieves, L. Ramos-Brito (Sinaloa, Mexico), C.O. Chavira-Ortega (Sonora, Mexico) and D. Voltolina (Sinaloa, Mexico) 431
Effect of dietary lipid level on growth performance, lipid deposition, hepatic lipogenesis in juvenile cobia (*Rachycentron canadum*)
J.-T. Wang, Y.-J. Liu, L.-X. Tian (Guangzhou, Republic of China), K.-S. Mai (Qingdao, Republic of China), Z.-Y. Du, Y. Wang and H.-J. Yang (Guangzhou, Republic of China) 439
Factors causing brown-colored gonads of the sea urchin *Strongylocentrotus nudus* in northern Honshu, Japan
Y. Agatsuma, M. Sato and K. Taniguchi (Miyagi, Japan) 449

Physiology and Endocrinology

Sperm characteristics and fertilization success of masculinized coho salmon (*Oncorhynchus kisutch*)
J.L. Fitzpatrick (University Boulevard, Vancouver, Canada), J.C. Henry (Madeira Park, Canada), N.R. Liley (University Boulevard, Vancouver, Canada) and R.H. Devlin (Marine Drive, West Vancouver, Canada) 459
Characterisation of proteins in epidermal mucus of discus fish (*Symphysodon* spp.) during parental phase
K. Chong, T. Sock Ying (Penang, Malaysia), J. Foo, L. Toong Jin (Singapore) and A. Chong (Penang, Malaysia). 469
Cold-induced alterations on proximate composition and fatty acid profiles of several tissues in gilthead sea bream (*Sparus aurata*)
A. Ibarz, J. Blasco, M. Beltrán, M.A. Gallardo, J. Sánchez, R. Sala and J. Fernández-Borràs (Barcelona, Spain). 477
Spermatozoal ultrastructure of diploid and tetraploid Pacific oysters
Q. Dong (Baton Rouge, Louisiana, USA), C. Huang (Baton Rouge, Louisiana, USA; Zhoushan, P.R. China) and T.R. Tiersch (Baton Rouge, Louisiana, USA) 487
Disparate effects of constant and annually-cycling daylength and water temperature on reproductive maturation of striped bass (*Morone saxatilis*)
R.W. Clark (Raleigh, NC, United States), A. Henderson-Arzapalo (Kearneysville, WV, United States) and C.V. Sullivan (Raleigh, NC, United States). 497
The effect of heat and cold exposure on *HSP70* expression and development of deformities during embryogenesis of Atlantic salmon (*Salmo salar*)
H. Takle, G. Baeverfjord, M. Lunde, K. Kolstad and Ø. Andersen (Ås, Norway) 515
Suppression of aggressive behaviour in juvenile Atlantic cod (*Gadus morhua*) by L-tryptophan supplementation
E. Höglund (Ås, Norway), M.J. Bakke (Oslo, Norway), Ø. Øverli (Ås, Norway), S. Winberg (Uppsala, Sweden) and G.E. Nilsson (Oslo, Norway). 525
Artificial maturation and reproduction of European silver eel: Development of oocytes during final maturation
A.P. Palstra, E.G.H. Cohen, P.R.W. Niemantsverdriet, V.J.T. van Ginneken and G.E.E.J.M. van den Thillart (RA Leiden, The Netherlands) 533

Book Review

Aquatic Ecology of Rice Fields
C.E. Nash (Machester, WA, USA). 549

Contents of *Aquaculture*, Volume 249 551